















[7] Busaryev, Oleksiy, Tamal K Dey, et al. Adaptive fracture simulation of multi-layered thin plates[J]. ACM Transactions on Graphics (TOG), 2013, 32(4): 52.

[8] Chen, Zhili, et al. Physics-inspired adaptive fracture refinement[J]. ACM Transactions on Graphics (TOG), 2014, 33(4): 113.

[9] Hahn, David, and Chris Wojtan. High-resolution brittle fracture simulation with boundary elements[J]. ACM Transactions on Graphics (TOG), 2015, 34(4): 151.

[10] Hahn, David, and Chris Wojtan. Fast approximations for boundary element based brittle fracture simulation[J]. ACM Transactions on Graphics (TOG), 2016, 35(4): 104.

[11] Raghavachary S. Fracture generation on polygonal meshes using Voronoi polygons[C]//ACM SIGGRAPH 2002 Conference abstracts and Applications. New York, USA:ACM, 2002:187.

[12] Ning J F, Lu S, Li S K. Real-time rigid body fracturing simulation based on Voronoi diagram[J]. Journal of Computer-Aided Design and Computer Graphics, 2011, 23(5):825-832.[宁江凡, 路石, 李思昆. 基于 Voronoi 图的实时刚体破碎模拟[J]. 计算机辅助设计与图形学学报, 2011, 23(5):825-832.]

[13] Fortune S. A sweepline algorithm for Voronoi diagrams[J]. Algorithmica, 1987, 2(1-4):153-174.

[14] Bradt R C. The fractography and crack patterns of broken glass[J]. Journal of Failure Analysis and Prevention, 2011, 11(2):79-96.

[15] Zeng L, Wu Y G. Volume based rigid body fracturing effect simulation[J]. Computer Engineering and Science, 2009, 31(a01):260-262.[曾亮, 吴亚刚. 基于体元刚体破碎特效仿真[J]. 计算机工程与科学, 2009, 31(a01):260-262.]

[16] Bao Z, Hong J M, Teran J, et al. Fracturing rigid materials[J]. IEEE Transactions on Visualization and Computer Graphics, 2007, 13(2):370-378.